

Diamond & TCT Tools for Construction

Product Catalogue 2021

Professional Power Tools

CUTTING MADE EASY



Best value in Class



CUMI
POWER TOOLS

DIAMOND SEGMENTED SAWS



SPEED SEGMENTED SAW



Features of the Product

- 100% Advance hot press
- Suitable for dry and wet
- Large premium multi point diamond grits
- 2X Cutting speed & Life

Type	Dimension (mm)			For use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Segmented	110	1.8 X 8	20	Hard Granite & stones
Segmented	110	1.8 X 10	20	Hard Granite & stones
Segmented	125	2.0 X 10	22.23	Hard Granite & stones
Segmented	150	2.2 X 10	22.23	Hard Granite & stones
Segmented	200	2.2 X 10	22.23	Hard Granite & stones
Segmented	250	2.4 X 10	22.23	Hard Granite & stones
Segmented	300	3.0 X 10	50	Hard Granite & stones
Segmented	350	3.2 X 10	50	Hard Granite & stones
Segmented	400	3.4 X 10	50	Hard Granite & stones



CUMI 500 RFT



Features of the Product

- 10 Segments - Korean design
- Long life bonding - Long life of 500 RFT*
- 100% advance hot press
- Smooth & Easy cutting
- Suitable for Wet cutting on granite

Type	Dimension (mm)			For use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Segmented	110	1.8 X 10	20	Hard Granite

* under standard testing condition




CUMI SUPER FAST



Features of the Product

- Semi hot press
- Auto release diamond technology
- Large premium diamond grits
- Suitable for Wet & Dry on granite
- Fast & Smooth cutting

Type	Dimension (mm)			For use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Segmented	110	1.8 X 9	20	Hard Granite



BOXER GRANITE SPECIAL



Features of the Product

- Premium Diamond grids
- Universal bonding
- Fast cutting and long life

Type	Dimension (mm)			For use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Segmented	110	1.8 X 10	20	Granite

New Arrival

DIAMOND SEGMENTED SAWS




CUMI SUPER FAST



Product Features

- Large diamond grits
- Suitable for Dry & Wet on hard granite and concrete
- Free & cool cutting bond
- Long life

Type	Dimension (mm)			Use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Segmented	110	1.8 X 8	20	Hard Granite & Wall




BOXER



Features of the Product

- Universal segment design
- 10 mm segments height
- Fast cutting and long life

Type	Dimension (mm)			For use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Segmented	105	1.8 X 10	20	Medium Hard Stones & Wall
Segmented	125	2.0 X 10	22.23	Medium Hard Stones & Wall
Segmented	150	2.2 X 10	22.23	Medium Hard Stones & Wall
Segmented	200	2.2 X 10	22.23	Medium Hard Stones & Wall



CHAMAK SEGMENTED SAW



Features of the Product

- Fine diamond grids
- Chip free cutting
- Long life

Type	Dimension (mm)			For use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Segmented	105	1.8 X 10	20	Marble, Lime stones & Brick walls



SPEED PLUS SANDSTONE PREMIUM



Features of the Product

- 100% hot press
- High premium treated diamonds
- Anti-wear bond system
- Effortless fast cutting
- Long life

Type	Dimension (mm)			For use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Segmented	110	2 X 10	20	Super Hard Sand Stone



DIAMOND CONTINUOUS RIM SAW




SPEED CONTINUOUS RIM



Features of the Product

- Semi-hot press
- Free cutting bond
- Larger diamond grits
- Long life

Type	Dimension (mm)			For use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Rim	110	1.8 X 8	20	Granite & Bricks
Rim	110	1.8 X 10	20	Granite & Bricks
Rim	125	2.0 X 10	22.23	Granite & Bricks
Rim	150	2.2 X 10	22.23	Granite & Bricks
Rim	200	2.2 X 10	22.23	Granite & Bricks
Rim	250	2.4 X 10	22.23	Granite & Bricks



BOXER RIM



Features of the Product

- Universal rim design
- 8 mm segments height
- Grind faster & last longer

Type	Dimension (mm)			For use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Rim	110	2.0 X 8	20	Medium & Soft stones

DIAMOND TURBO SAW



SPEED TURBO SAW



Features of the Product

- Unique turbo design
- Fast grinding
- Premium diamond grits
- Long life

Type	Dimension (mm)			For use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Turbo	110	2.0 X 8	20	Granite & Concrete

Other sizes available on request



BOXER TURBO



Features of the Product

- Universal turbo design
- 8 mm segments height
- Grind faster & last longer

Type	Dimension (mm)			For use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Turbo	110	2.0 X 8	20	Medium hard stones



PREMIUM WALL CUTTERS



CHAMAK WALLCUTTER



Features of the Product

- Coarse and fine diamond mix
- Anti-wear bond
- Faster cutting and long life

Type	Dimension (mm)			For use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Segmented	110	1.8 X 9	20	Brick & hollow block
Segmented	125	2.0 X 10	22.23	Brick & hollow block



CHAMAK WALLCUTTER DELUXE ULTRA

Features of the Product

- Premium diamond with steel body protection
- Anti-wear bond
- Faster cutting and long life

Type	Dimension (mm)			For use on
	Dia (D)	THK (T) x segment Height (H)	Bore	
Segmented	110	1.8 X 10	20	Solid blocks and RCC
Segmented	125	2.0 X 10	22.23	Solid blocks and RCC



CHAMAK WALL CUTTER TURBO



Features of the Product

- Premium diamond for hard concrete
- Anti-wear bond
- Narrow turbo for chip-free cutting
- Faster cutting and long life

Type	Dimension (mm)			For use on
	Dia (D)	THK (T) x segment Height (H)	Bore	
Turbo	110	2.0 X 8	20	Brick, Hollow & Solid block
Turbo	125	2.0 X 8	22.23	Brick, Hollow & Solid block



PREMIUM CERAMIC DIAMOND SAWS



SPEED CERAMIC NARROW SEGMENT



Features of the Product

- Advanced hot press
- Best suit for Ceramic, Italian & Artificial stones
- Zero chipping design
- Long Life
- "Fast & Smooth" cutting

Type	Dimension (mm)			For use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Segmented	110	1.4 X 8	20	Ceramic and Italian



SPEED SUPER THIN TURBO



Features of the Product

- 1mm Super thin turbo
- Hot press technology
- Zero chipping design
- Best for vitrified and italian
- Strong centre

Type	Dimension (mm)			For use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Super Thin Turbo	110	1.0 X 8	20	Vitrified ceramic & Italian marble



SPEED CERAMIC RIM



Features of the Product

- Best suited for Vitrified ceramic & Italian marble
- Smooth & soft cutting
- Zero chipping design
- Long life

Type	Dimension (mm)			For use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Rim	105	1.6 X 5	20	Vitrified ceramic & Italian marble



SPEED CERAMIC SEGMENT



Features of the Product

- Best suited for Vitrified ceramic & Italian marble
- Smooth & soft cutting
- Zero chipping design
- Long life

Type	Dimension (mm)			For use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Rim	110	1.6 X 8	20	Vitrified ceramic & Italian marble



PREMIUM CARVING TOOLS




SPEED COMBO TURBO / RIM PLATE WHEEL



Features of the Product

- Larger diamond grits
- Ultra fast grinding
- Dry cutting bond
- Long life

Type	Dimension (mm)			For use on
	Dia (D)	THK (T)	Bore	
Segmented	100	5 X 8	20	Granite - dry



SPEED CUP WHEELS



Features of the Product

- Larger diamond grits
- Ultra fast grinding
- Vibration free balanced body
- Long life

Type	Dimension (mm)			For use on
	Dia (D)	THK (T)	Bore	
Segmented	80	5	20	Granite & Concrete
Segmented	100	5	20	Granite & Concrete



CARVING BITS



Features of the Product

- Perfect balanced bits
- Superior diamond grits
- Suitable for dry grinding

Type	Dimension (mm)		For use on
	Dia (D)	Length X spindle dia	
Diamond Mounted points	8 - 50	25 mm x 6.0	Sculpture / Stone art of granite, marble & sandstone



Turbo Rim

HOT PRESS DIAMOND SAWS



Features of the Product

- 100% Hot press
- Special turbo shape for a faster dry cutting
- Long life

Type	Dimension (mm)			For use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Turbo	200	2.4 X 10	22.23	Dry Cutting Granite



Segmented




Segmented



Full Turbo Segmented



LARGE DIAMETER DIAMOND SAWS



SPEED DIAMOND SAW




Features of the Product

- Premium diamond grits
- Long Life
- Fast cutting
- Chip-free finish

Type	Dimension (mm)			For use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Segmented	350	3.2 X 9	50	Granite, Marble, Concrete & Sandstone

Sizes : 150 mm to 950 mm



SPEED DIAMOND CHOP SAW



Features of the Product

- Cuts Metal, Stone, Concrete, Fibre glass etc.
- Unique vacuum brazing
- Faster cutting and longer life

Type	Dimension (mm)			For use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Vacuum Brazed	350	2.8 X 3	25.4	Metal, Stone, Concrete Fibre & Multi- materials



CORE DRILLS



SPEED CORE BITS



Features of the Product

- Monolithic body for vibration-free drilling
- High concentration diamond bits
- Soft and smooth drilling
- Long life

Type	Dimension (mm)			For use on
	Dia (D)	THK (T) x Segment Height (H)	Bore	
Thread	6 - 75	-	M 10	Stone & Concrete
Spindle	6 - 75	-	6 MM	Stone & Concrete

CONCRETE SPECIAL



SPEED CONCRETE CUTTING SAWS



Features of the Product

- Superior Premium Diamond grits
- Faster cutting longer life
- Advanced anti wear bond system
- Suitable for all types of concrete

Type	Dimension (mm)			For use on
	Dia (D)	THK (T) x No. of Teeth	Bore	
Segmented	350	3.2 X 12	50.00	Concrete

Size : upto 950 mm available on request



GRINDING & POLISHING



CHAMAK GCDC WHEELS




Features of the Product

- Origin green silicon carbide
- Hi-tech epoxy bonding
- Sharp grains - faster grinding
- Long Life

Type	Dimension (mm)			For use on
	Dia (D)	THK (T)	Bore	
DC	100	2.5	16	Marble, Granite & Glass

Grit size : # 36 - 280



10X POLISHING PADS



Features of the Product

- High concentrated diamond
- Mechanical honed polish > 90 gloss
- Hot press polymer bonding
- 10 X Life - 15000 sq. ft

Type	Dimension (mm)			For use on
	Dia (D)	THK (T)	Bore	
Velcro	100	6	16	Italian & Indian Marble

Size : 80 mm to 150 mm

Grit size : # 50 - 3000



DIA CERAMICA POLISHING PADS



Features of the Product

- Special turbo design, Higher diamond thickness
- Quick deep polish
- Hi-tech synthetic polymer bond
- Long Life

Type	Dimension (mm)			For use on
	Dia (D)	THK (T)	Bore	
Velcro & Plastic Moulded	100	5.0	16	Marble & Granite

Size : 80 mm to 150 mm

Grit size : # 30 - 10000



DIA CERAMICA POLISHING PADS WITH PLASTIC HOLDER



Features of the Product

- Special turbo design, Higher diamond thickness
- Quick deep polish
- Hi-tech synthetic polymer bond
- Long Life

Type	Dimension (mm)			For use on
	Dia (D)	THK (T)	Bore	
Plastic Holder	100	2.5	16	Marble & Granite

Size : 100 mm

Grit size : # 1 - 2 - 3 - 4 - 5 & 6



ULTRA PREMIUM WOOD CUTTERS

WOOD & PLYWOOD



SAND MASTER ^{PLUS} SUPER THIN WOOD CUTTER



Features of the Product

- K10 European origin carbide tips
- Super thin - 1.6 mm kerf
- Fast cutting and superior finish
- CNC profiled cutting edges
- Long life

Type	Dimension (mm)			For use on
	Dia (D)	THK (T) x No. of Teeth	Bore	
TCT	110	1.6 X 40T / 30T	20	Lamination Board, Water proof, Teak & Rosewood
TCT	125	1.8 X 40T / 30T	20	Lamination Board, Water proof, Teak & Rosewood



CUMI SLEEK WOODCUTTER



Features of the Product

- Super slim 1.5mm thickness
- Fine finish on laminates
- Fast cutting
- Long life

Type	Dimension (mm)			For use on
	Dia (D)	THK (T) x No. of Teeth	Bore	
TCT	110	1.5 X 40T / 30T	20	Lamination Board, Water proof, Teak & Rosewood
TCT	125	1.6 X 40T / 30T	20	Lamination Board, Water proof, Teak & Rosewood



SPEED DELUXE SUPER THIN WOOD CUTTER



Features of the Product

- High density tungsten carbide tips
- Fast cutting and superior finish
- Suitable for Plywood and lamination
- Long life

Type	Dimension (mm)			For use on
	Dia (D)	THK (T) x No. of Teeth	Bore	
TCT	110	1.5 X 40T / 30T	20	Plywood and lamination
TCT	125	1.5 X 40T / 30T	20	Plywood and lamination



SPEED WOOD CUTTER



Features of the Product

- Premium TCT Tips for wood and plywood
- Fast cutting and superior finish
- Long life

Type	Dimension (mm)			For use on
	Dia (D)	THK (T) x No. of Teeth	Bore	
TCT	110	1.5 X 40 T / 30 T	20	Wood & Plywood
TCT	125	1.5 X 40 T / 30 T	20	Wood & Plywood

Other sizes available on request





CARBORUNDUM UNIVERSAL LIMITED

3rd Floor, 'Parry House', 43 Moore Street, Chennai 600 001, India. Fax: +91-44-3000 6191

www.cumiabrasives.com




Etti
Enterprises

 +91 89255 11719

 reach2e@ettigroup.com

 www.ettigroup.com

 Door No. 306 / 4, Sri Sai Nivas,
Nedunkundram Main Road,
Kolapakkam Village,
Kanchipuram Dist. - 600 048